



SIMCHA CORPORATION

 UNIT 103-104 AUSSIE TOWER MH DEL PILAR STREET
ERMITA MANILA

 CONTACT US:
09451928723
09773239881

 SALES@SIMCHAENTERPRISES.COM





ABOUT US

WE FOCUS ON SCIENTIFIC EQUIPMENTS, BIOMEDICAL, INTELLIGENT MANUFACTURING, SCIENTIFIC EQUIPMENT, IN VITRO DIAGNOSIS (IVD) INSTRUMENT AND REAGENT AND VACCINES, MEDICAL DEVICES AND MACHINES.

SIMCA ENTERPRISES IS SPECIALIZED IN MEDICAL EQUIPMENT AND LABORATORY EQUIPMENT PRODUCTS, WITH MORE THAN 200 EXISTING HIGH-TECH PRODUCTS.

MISSION:

OUR MISSION AT SIMCHA ENTERPRISES IS TO ADVANCE THE FIELD OF MEDICAL SCIENCE BY PROVIDING INNOVATIVE AND RELIABLE SCIENTIFIC EQUIPMENT AND MEDICAL PRODUCTS. WE ARE DEDICATED TO CLINICIANS, AND HEALTHCARE PROFESSIONALS WITH CUTTING-EDGE TOOLS THAT FACILITATE ACCURATE DIAGNOSTICS, EFFECTIVE TREATMENTS, AND GROUNDBREAKING DISCOVERIES. THROUGH OUR COMMITMENT TO QUALITY, EXCELLENCE, AND COLLABORATION, WE STRIVE TO BRING IN AND DISTRIBUTE ONLY THE BEST OF IMPROVEMENT OF GLOBAL HEALTHCARE OUTCOMES AND ENHANCE THE OVERALL WELL-BEING OF INDIVIDUALS WORLDWIDE.

VISION:

OUR VISION IS TO BE A GLOBAL LEADER AND DISTRIBUTOR IN THE PHILIPPINES IN THE DEVELOPMENT AND DISTRIBUTION OF SCIENTIFIC EQUIPMENT AND MEDICAL PRODUCTS THAT REDEFINE THE BOUNDARIES OF MEDICAL RESEARCH AND HEALTHCARE PRACTICES. WE ENVISION A FUTURE WHERE OUR INNOVATIVE TECHNOLOGIES PLAY A PIVOTAL ROLE IN ACCELERATING MEDICAL ADVANCEMENTS, ENABLING PERSONALIZED TREATMENTS, AND REVOLUTIONIZING DISEASE MANAGEMENT. WITH CREATIVITY, INTEGRITY, AND CUSTOMER-CENTRICITY, WE AIM TO SHAPE THE TRAJECTORY OF MEDICAL PROGRESS, ULTIMATELY LEADING TO HEALTHIER AND HAPPIER LIVES FOR PEOPLE EVERYWHERE.




BPR-5V298 - 298L



BPR-5V68 - 68L

***All sizes and variants available, please reach out to our team
with contact details on the last page**

BLOOD BANK REFRIGERATOR



BBR-4V86- 86L



BBR-4V136-136L

***All sizes and variants available, please reach out to our team
with contact details on the last page**



Class II B2 Biological
Safety Cabinet



Ductless Fumehood
FH 1000

***All sizes and variants available, please reach out to our team
with contact details on the last page**

ZONCARE ECG 3 CHANNEL



The ZONCARE E10 is an advanced 3-channel ECG machine designed to deliver accurate and comprehensive cardiac diagnostics. With its state-of-the-art technology and clear display, it provides precise recording of electrocardiograms, enabling effective analysis of heart rhythms. Equipped with user-friendly features and intuitive controls, it simplifies the ECG acquisition process, ensuring ease of use for healthcare professionals. The ZONCARE E10 - 3 Channel ECG Machine: A reliable and efficient solution for cardiac monitoring, supporting healthcare providers in delivering optimal patient care.



COMEN ECG 12 CHANNEL

Features an ECG review function that can review 10 minutes of ECG waveforms and the 12-lead waveform data printing for any 10 seconds in 10 minutes



COMEN FETAL & MATERNAL MONITOR



The whole machine looks smooth and compact with U shape, which also makes it more beautiful in one go.

Damping axis and magnetic flip touch screen.

The structure is designed with a damping axis to overcome the instability of the old touch operation, while the magnetic design allows the screen and the main unit to fit perfectly.



Biobase Electrolyte Analyzer **BKE-D**

With FREE Startup Reagent

Item	Brand	Unit
Drift Slope a	BIOBASE	1 Bottle
Correction Slope b	BIOBASE	1 Bottle
Na Electrode	BIOBASE	1 Cartridge
K Electrode	BIOBASE	1 Cartridge
Cl electrode	BIOBASE	1 Cartridge
Ca electrode	BIOBASE	1 Cartridge
Ph Electrode	BIOBASE	1 Cartridge
Ref Solution	BIOBASE	1 Cartridge
Reference Filling Electrode	BIOBASE	1 Cartridge
ISE Filling Electrode	BIOBASE	1 Bottle
Deportien Solution	BIOBASE	1 Bottle




SYRINGES & EDTA TUBES

VITAL SYRINGES



23GX1 3ML

23GX1 5ML



EDTA TUBES

● **BLUE**

● **BLACK**



SMALL TO LARGE*



**STERILE Urine Cup 60 ML Individual
OPP Bag With Label**



**STERILE Stool Cup 60 ML Individual
OPP Bag With Label**

Keen Ray Dr50M



5.1KW rated power

Light weight design

Foldable arm suitable for X-ray in vehicle, patient house, outside area etc

User-friendly workstation with 15 inch LCD touch screen

Advanced APR function

Advanced Flat Panel technology-Amorphous Silicon

Fast bedside imaging

Automatic image processing

Multiple peripherals including USB, DICOM and burning CD

Cutting-edge image quality

Lanmage Muses 6600A Plus



Easy Operation & Wide Clinical Application. Muses supports examinations on chest, spines, knee, legs, feet, and many other body parts positions.

Zoncare M70 Ultrasound



M70 is transplanted with uSeed's high-end imaging technology and image algorithm. The highly integrated hardware design integrates excellent images, comprehensive functions, efficient workflow, and convenient mobility into one machine to achieve dual-use (desktop and portable). M70 can be easily handled in the ultrasound department or in mobile diagnosis and treatment applications.



+ Battery
+Gel Heating Cup
W/ 2 Probes (Conves+ Linear)

Zoncare Viv40 Ultrasound



As a brand new generation color doppler, ViV40 is economical, practical, sturdy, durable, simple and easy to use; Especially integrated with extraordinary image quality and comprehensive function configurations, ViV40 delivers more-than-expected clinical application experience.

+ Battery
+Gel Heating Cup
W/ 2 Probes (Conves+ Linear)

Zoncare Viv40 Ultrasound



As a brand new generation color doppler, ViV40 is economical, practical, sturdy, durable, simple and easy to use; Especially integrated with extraordinary image quality and comprehensive function configurations, ViV40 delivers more-than-expected clinical application experience.

+ Battery
+Gel Heating Cup
W/ 2 Probes (Conves+ Linear)

Portable M30 Color



**Portable Color Doppler Ultrasonic System
Slimmer | Clearer | Stronger**

M30 provides remarkable performance in Abdomen, Gynecology (including endocavity), Obstetric, Cardiology, Small parts (Breast, Testes, Thyroid, etc.), Urology, Musculoskeletal and Peripheral vascular. A variety of imaging modes brings a comprehensive clinical application

4D Volume Probe

Tvs Probe

**Phased Array
Probe**



Mindray Consona N5

The Consona N5 brings Mindray's high-end ZST+ platform into a cart-based system priced for general and primary care practice. ZST+ replaces conventional beam-forming with channel data-based processing, breaking the usual trade-off between spatial resolution, temporal resolution, and tissue uniformity — the practical result is cleaner images on difficult patients without dropping frame rate. Intelligent tools reduce operator dependency across everyday exams: Smart HRI for fatty liver assessment, Smart Calc and Strain Elastography for focal lesion work, Smart OB and Smart Face in obstetrics, plus 3D/4D with iLive and Glazing Flow for fetal imaging, and CEUS for advanced small-parts diagnosis. An ergonomic console and streamlined interface shorten the learning curve for new sonographers, and MiCo+ connectivity supports image sharing, remote collaboration, and training. A full transducer family covers abdominal, OB/GYN, small parts, vascular, cardiac, and transvaginal work from one platform.

- ZST+ channel data-based imaging platform
- Smart tools: Smart HRI, Smart Calc, Smart OB, Smart Face, Smart Planes
- Strain Elastography and CEUS capability
- 3D/4D with iLive and Glazing Flow
- Full transducer family for multi-department use
- MiCo+ app for sharing, remote collaboration, and training
- Ergonomic console designed for low total ownership cost



Mindray Consona N6

The Consona N6 is a compact, cart-based color Doppler system built for shared-service facilities, clinics, and private practice. It runs on Mindray's ZONE Sonography Technology+ (ZST+) virtual beamforming architecture, which processes channel data rather than conventional beam-formed signals — delivering a focused image at every pixel and frame without the usual trade-off between resolution and frame rate. A single platform covers general imaging, women's health, and cardiovascular work, with 3D/4D available as an optional configuration. Ergonomics are a clear step up for this class: a 13.3" gesture-powered HD touchscreen, a fully adjustable floating control panel, an ergonomic footrest, and a waterproof control surface for easy disinfection between patients. An internal battery supports up to 60 minutes of continuous scanning, and magnetic cable management keeps the cart tidy when moving between rooms. Mindray's Living Technology approach means imaging enhancements arrive as software upgrades over the system's life.

- **ZST+ virtual beamforming platform**
- **General imaging, OB/GYN, and cardiovascular on one system**
- **Optional 3D/4D configuration**
- **13.3" HD gesture touchscreen; floating adjustable control panel**
- **Waterproof panel, magnetic cable cover, mobility-focused cart**
- **Up to 60 minutes continuous battery scanning**
- **Software-upgradeable through Living Technology**

Mindray Consona N6

Mindray Consona N5



DYMIND 3 PART HEMATOLOGY DH 31 60 OUTPUT



DYMIND 5 PART HEMATOLOGY DF 55



DYMIND 3 PART HEMATOLOGY REAGENTS



**HEMATOLOGY
DILUENT 20L**

**HEMATOLOGY
LYSE 500ML**

CLEANSER

DYMIND 5 PART HEMATOLOGY REAGENTS



DIL-C (20L)

LYC1 (200ML)

LYC2 (500ML)

CLE-P(50ML)



Mindray BC-30

With FREE Startup Reagent

Mindray BC-50

With FREE Startup Reagent



BIOBASE BK-310



FREE INSTALLATION
FREE DEMO
FREE CALIBRATION PMS
AFTERSALES
UPS
AVR



Reaction Tray
37±0.2°C,
real-time monitor.



Washing Probe
Independent 3-step
washing system.



Wasing Probe



Reagent Tray
2~12°C for
24 hours.



Mixer Probe
Teflon coating to
avoid cross
contamination.



Software
USER FRIENDLY
SOFTWARE

For Laboratories, Hospitals and Testing Centers:

49 Sample positions

56 Reagent positions

120 Reaction cuvettes

300 Tests Per/Hour

Probe with anti-collision function, liquid level detection function



BIOBASE BK-310

(Machine Only)



Reaction Tray
37±0.2°C,
real-time monitor.



Washing Probe
Independent 3-step
washing system.



Wasing Probe



Reagent Tray
2~12°C for
24 hours.



Mixer Probe
Teflon coating to
avoid cross
contamination.



Software
USER FRIENDLY
SOFTWARE

For Laboratories, Hospitals and Testing Centers:

49 Sample positions

56 Reagent positions

120 Reaction cuvettes

300 Tests Per/Hour

Probe with anti-collision function, liquid level detection function



SNIBE MAGLUMI X3

FREE INSTALLATION

FREE DEMO

FREE CALIBRATION PMS

AFTERSALES

UPS

AVR



SNIBE MAGLUMI X8

FREE INSTALLATION


FREE DEMO

FREE CALIBRATION PMS

AFTERSALES

UPS

AVR



Mindray BS240PRO



Mindray BS240



TD4A

**Centrifuge TD4A 8*15ml
Fixed Rotor**



TD4-1

**Centrifuge TD4-1 Placer
Sero Rotor**



TG12

**Centrifuge TG12 24 Placer
Hematocrit Rotor**



REAGENT	# OF TESTS	VOLUME
CREA Creatinine - R1: 48MLX2, R2:16MLX2	410	128 ML
UA Uric Acid - R1:48MLX2, R2:12MLX2	390	120 ML
UREA- BUN Urea-R1:48MLX2, R2:16MLX2	410	128 ML
TG Triglycerides - R:20MLX8	510	160 ML
CHO Total Cholesterol - R:20MLX8	510	160ML
Direct Bilirubin- R1:48MLX2, R2:12MLX2	390	120 ML
Total Bilirubin - R1:48MLX2,R2:12MLX2	390	120 ML
ALB Albumin - R20MLX8	510	160ML
ALT/SGPT Alanine Aminotransferase- R1:48MLX2, R2:12MLX2	390	120 ML
AST/SGOT Aspartate Aminotransferase- R1:48MLX2, R2:12MLX2	390	120 ML
GLU Glucose - R:20MLX8	510	160 ML
HDL-C High-density lipoprotein cholesterol - R1:48MLX2, R2:16MLX2	410	128 ML
ALP Alkaline Phosphatase - R1:48MLX2, R2:12MLX2	390	120 ML
TP Total Protein -R:20MLX8	510	160 ML
IP Inorganic Phosphorous - R:20MLX8	510	160 ML
NA Sodium- R1:48MLX2, R2:16MLX2	410	128 ML
K Potassium- R1:48MLX2, R2:16MLX2	410	128 ML
CA Calcium - R:20MLX8	510	160 ML
ALKALINE CLEANING FLUID 60MLX2	390	120 ML
AMY - R1:50MLX1 R2:18MLX1	220	120 ML
LDH Lactate Dehydrogenase- R1:48MLX2,R2:12MLX2	390	120 ML
MG Magnesium - R20MLX8	510	160 ML
Cl Chlorine-R20MLX8	510	160 ML
LPS Lipase - R1:40MLX2, R2:20MLX2	390	120 ML
Lipid Control	350 +	3 ML
Calibrator HDL-C - 1X1 ML	240 +	1 ML
Calibrator (Mid-Value) 2 Level Composite Standard Serum 1x5ML	500 +	5 ML
CONTROL SERUM LEVEL 3	2500 +	5 ML
Quality Control Composite Quality Control Serum - 1 x 5	2500 +	5 ML



IVD CHEMISTRY REAGENTS

CONCENTRATED DILLUENT
2 LITERS

LYSE

EZ PROBE CLEANER



AST/SGOT

ALT

ALP

BUN

CREA

CHOLESTEROL

HDL

GLUCOSE

TRIGLYCERIDE


ALBUMIN

URIC ACID

MULTI SERA CALIB

NORMAL CONTROL

PATHO CONTROL



**DILUENT
LYSE
PROBE CLEANSER**

Cocaine
Morphine
Barbiturates
Amphetamine
Pcp
Mql
Ppx
Methadone
Opiates
Ecstasy
Benzo
Syphilis
Hbsag Casstte
Hbsag Strips
Hiv





Reduces Pain & Swelling



Portable Cooling Relief



Treat Joint Pains



Reusable Up To 3x

7.5cm

10cm

EZITELL TEST KITS



**HGG PREGNANCY
TEST KIT**

40 - CASSETTE
40 DROPPERS

DENGUE RAPID TEST

10 - CASSETTE
10 DROPPERS

**URINALYSIS
REAGENT STRIPS**

100 - TESTS
10 PARAMETER

HIV 1.2 RAPID TEST KIT

40 - CASSETTE
40 DROPPERS
2 - BUFFER

**HBSAG HEPATITIS B
DIPSTICK
RAPID TEST KIT**

50 - CASSETTE
50 DROPPERS
1 - BUFFER

**MULTI-DRUG 2
DRUGS
RAPID TEST KIT**


25 - CASSETTE
25 DROPPERS

**COC300 RAPID
TEST KIT (URINE)**

40 - CASSETTE
40 DROPPERS

**DENGUE NS1 RAPID
TEST KIT (URINE)**

10 - CASSETTE
10 DROPPERS



MAKATI CITY



SIMCHA ENTERPRISES



09173292996



Contec Holter



Contec Spirometer



Contec ABPM



Mindray SV50



Mindray TV50



Getein 1160



The Getein 1160 is a compact, multi-channel immunofluorescence quantitative analyzer built for point-of-care and small-to-medium laboratory workflows. Four incubation channels plus a dedicated emergency test channel let several patients be run at once without holding up an urgent sample, while a 32°C constant incubation environment keeps results consistent regardless of ambient conditions. Results are available in 3–15 minutes, and the external tray automatically collects used cartridges once a test is finished, reducing handling of patient material. The system quantifies markers across cardiovascular, renal, inflammation, fertility, diabetes, bone metabolism, tumor, and thyroid panels, with more than 50 test items available.

The Getein 1150 is a handheld immunofluorescence quantitative analyzer built for testing at the patient's side. At 400 g and small enough to fit in a coat pocket, it runs on an internal lithium-ion battery for roughly 8 hours of continuous operation, making it suited to ward rounds, ambulances, home visits, and outreach work where mains power isn't a given. A built-in 37°C constant incubation environment keeps results stable despite ambient conditions, and the analyzer runs the same Getein test menu covering cardiac markers, inflammation, renal, diabetes, thyroid, fertility, bone metabolism, and tumor panels. Operation is through a 5" Android touch screen.

Getein 1150



Mindray AED

Mindray BeneHeart Series



Mindray's cardiac care range, spanning public-access AEDs, professional defibrillator/monitors for emergency and critical care, and resting ECG systems. Shared design language, ResQNavi rescue guidance, and Mindray's ECG algorithm run across the family, so units are familiar to staff moving between the ward, the ambulance, and the lobby cabinet.

The ZOLL AED Plus guides untrained bystanders and trained responders alike through a sudden cardiac arrest rescue with clear audio prompts and visual icons that follow the Chain of Survival. Its Real CPR Help technology senses actual chest compressions through the one-piece CPR-D-pad electrode and coaches the rescuer in real time — "Push Harder" or "Good Compressions" — with an adaptive metronome for rate and a depth bar on the display. The single-piece pad removes guesswork from placement, and the unit runs on off-the-shelf Duracell 123a lithium batteries with a five-year life. Automatic self-testing keeps it rescue-ready, and its IP55-rated housing stands up to dust, moisture, and rough handling. Available in semi-automatic and fully automatic versions



ZOLL AED PLUS

Zoll AED PLUS

Nipro Surdial 55Plus

(Machine Only)

(Installment available)

Cash On First Purchase



The Surdial 55Plus is Nipro's cost-effective single-patient hemodialysis system, built around a compact 280 mm-wide body that fits tight floor plans without sacrificing capability. A 180-degree turnable color touch panel lets staff read treatment data and progress from either side of the chair, and the interface keeps routine operation simple enough to shorten training for new nurses.

Preparation takes about 8 minutes, the bicarbonate cartridge drains in 55 seconds, and disinfection time is cut by up to 40% — meaningful gains in a unit running multiple shifts a day. The machine supports acetate and bicarbonate dialysis, sequential UF, and single-needle treatment, with UF and conductivity profiling for precise fluid and electrolyte management. Safety features include micro air-bubble detection, optical blood leak detection, self-check routines, and battery backup.



Premix:
ACID ,BICARB, SODIUM CHLORIDE



Dialyzer




Blood Tubing Set



Fistula Needle




Fistula Kit



Subclavian Kit



Peracetic Strips



Residual Strips



Micropore

mindray  **COMEN EDAN**

ZONcare **BIOBASE**

Lanmage  **DYMIND**

OLYMPUS® **OMRON**

SIEMENS

PHILIPS

 **NIPRO**  **Getein**
Biotech, Inc.

 **GE HealthCare**  **CONTEC**


We Inspect, repair, and maintain all brands.
(Please ask our team for assistance for other brands)



CONTEC ECG STRESS TEST

CONTEC8000S

The CONTEC8000S is a PC-based exercise stress ECG system combining a 12-lead sampling unit, dedicated analysis software, and compatible exercise equipment (treadmill or ergometer). All twelve leads are sampled synchronously and recorded for the full duration of the test, with real-time ST segment monitoring, automatic ST calculation, and enlarged display of any selected lead. Anti-interference processing stabilizes the baseline against EMG noise, baseline drift, and AC interference — important for keeping traces readable while the patient is moving. Standard protocols (Bruce, modified Bruce, and others) are built in, and user-defined schemes can be created, with automatic prompts for printing and blood pressure measurement at each stage. Review is available in dynamic, static, and superimposed modes, alongside trend charts of multiple parameters, and results print to a range of report formats for the physician's file.



Spesification ECG 8000S

- Lead : Standart 12-Lead Floating &
- Input Mode : Defibrillation Protection > 60 dB,
- CMRR : >100 dB (add Filter) $\geq 3.2s < 10\mu A$
- Time Constant : 1mV Up to 1000 Hz Up to 24-bit $\leq$
- Patient Leak Current : 50mA $\geq 50 M\Omega \leq 15u Vp-p$ 0.05Hz
- Calibration Voltage : - 150 Hz $\pm 500mV$ 2 x AA Alkaline
- Sampling Frequency : Battery Bluetooth
- Sampling Accuracy : Included
- Input Circuit Current : Included

Spesification Komputer

- Core I5-4590 Spesifikasi Detail:
- Resolusi: 1920x1080 16:9
- Kompatibel dengan motherboard: Chipset INTEL H81M
- CPU: Dual-core empat-thread, kecepatan hingga 3,7GHz
- Memori: 8GB/16GB (opsional)
- Hard Disk: SSD 256G/512G (opsional)
- Grafik: HD Graphics 4400
- Parameter layar: Layar 24inch
- Antarmuka motherboard: Audio Masuk/Keluar, USB2.0 * 4, RJ45 LAN1, VGA1, HDMI1, DC1
- Antarmuka eksternal: USB2.0 * 2
- Adaptor daya: Input 100-220V~50/60Hz output 12VDC-7A
- Parameter WiFi: WiFi frekuensi tunggal
- Keyboard dan mouse: Keyboard dan mouse kabel
- Berat: 5~6kg

Spesification Treadmill

- Motor Dinamo : DC 2.5 HP
- Kecepatan : 1.0 - 20 Km/h
- Monitor : Waktu, kecepatan, jarak tempuh, kalori, body Fat, Hearth Rate
- Program Latihan : 1 - 60 Program
- Area Berlari : 147 x 49 Cm
- Incline : Auto Incline 18 derajat
- App Connection : Fit show
- Max Berat : 130 Kg
- Warna : Hitam & Putih
- Dimensi Produk : 210 x 83 x 140 Cm
- Dimensi Kemasan : 184 x 88 x 26 Cm
- NW/GW : 71 / 79 Kg





FOR INQUIRES & ORDERS:

sales@simchaenterprises.com

09451928723

FB: Simcha Enterprises Biobase Philippines